

Instructions for Use

Thank you for purchasing the **Spot-On 2 LED Headlight.** The Spot-On 2 is an LED light that replaces or augments overhead lighting. It provides eight levels of crisp, directed white light. The lightweight (0.8 oz.) Spot-On 2 easily mounts onto most eyewear and loupes.

Accessories Included:

- (1) 5V battery charger
- (1) Spring clip eyewear mount
- (1) Optional snap-on loupe mount
- (2) Interchangeable control unit battery packs with clip-on leather case
- (2) Cord clips
- (1) Padded storage case

To Charge the Battery:

Charge the batteries completely before using them with the Spot-On 2 for the first time.

- 1. Connect the charger cable to a Spot-On 2 battery pack using the DC 5V Micro-USB port on the bottom of the control unit, then plug the charger into a wall outlet.
- 2. One or more of the four green LEDs located on the top of the unit will flash. The battery is fully charged when all four LEDs light solid green.
- 3. Recharge the battery when only one of the green charge indicator LEDs is illuminated. Switch to the alternate battery pack for continued use, if needed.

To Use the Spot-On 2:

1. Decide whether you prefer to use the spring clip eyewear mount or the snap-on loupe mount. Remove the double-ended screw from the mounting extension on the bottom of the light barrel. Slide the desired mount onto the extension and attach with the double-ended screw.

Note: Do not over tighten the mounting screw. Tighten just enough to hold the light barrel securely in one position, but still loose enough to allow directional adjustment.

- 2. If using the spring mount, clip the Spot-On 2 on top of your eyewear, centered between the lenses. If using the loupe mount, snap the mount onto the center bar between the two lenses.
- 3. Slip a Spot-On 2 controller into the leather case with the top edge containing the power button, LEDs, and light socket upward. Secure with the snap closure. The Spot-On 2 can be recharged through the charger port opening in the bottom of the case.
- 4. Use the clip on the case to attach the control unit to your clothing, making sure the power button and LEDs are accessible and visible.
- 5. Plug the Spot-On 2 cord into the control unit using the circular socket on the top of the unit.
- 6. Turn the Spot-On 2 on by pressing the power button on the top of the control unit.
- 7. Adjust the horizontal direction of the light by simply turning the light barrel in the preferred X-direction.
- 8. Adjust the vertical direction of the light by simply raising or lowering the light barrel in the Y-direction.

Manufactured for



Adjusting the Brightness Level:

The power button also functions as a control for the light level. The Spot-On 2 features eight different levels of illumination.

- 1. Press and release the power button momentarily to cycle through the different brightness levels.
- 2. Once the brightest setting is reached, the Spot-On 2 will return to the least powerful setting and restart the brightness adjustment cycle.
- 3. When the Spot-On 2 is powered on, its initial brightness setting will be the same as the last one used.

Turning the Spot-On 2 Off:

To turn the Spot-On 2 off, press and hold the power button for two seconds, then release.

CAUTIONS

- Read this entire Instructions for Use before using the Spot-On 2 LED Headlight.
- The Spot-On 2 contains no user serviceable parts. All repairs and/or maintenance to the Spot-On 2 should be performed only by a qualified technician.
- Use only the power supply/charger included. Use of a different power supply may damage the unit and void the warranty.

WARNINGS

- It is the responsibility of the user to ensure that the Spot-On 2 is used safely and functioning properly.
- The Spot-On 2 generates high-intensity, white LED light. Before turning the Spot-On 2 on, make sure the light is pointed away from the eyes.
- Do not expose the Spot-On 2 to heat sources or direct sunlight.

Spot-On 2 LED Headlight Specifications:

Lamp weight: 0.8 oz. (without cord or controller). **Light intensity:** Adjustable up to 23,000 lux. **Lamp color temp.:** 6000°K (± 1000°K).

Operating time PER BATTERY: $2\frac{1}{2}$ hours of continuous operation on one 5-hour charge.

Battery life: Approximately 500 charges. **Battery current:** 2600 mA sealed lithium-ion.

Input: DC 5V, 1A. **Output:** DC 1.2V~5V.