## **Enhancement of Clinical Efficiency**

Efficiency demands:

- A sufficient number of chairs to assure multiple patients can be readied for treatment so that the dentist can move quickly between chairs
- A proper number of clinical auxiliaries, including a roving dental assistant/sterilization technician
- Performance of 4 or 6 handed dentistry
- Each patient is ready to receive treatment when Dr. gets to chair
  - $\ensuremath{\circ}$  charts open and in sight or the computer chart is visible
  - o instruments, supplies, and radiographs/images well organized chairside
- Sufficient instruments available to treat a full morning's or afternoon's patient load; thereby eliminating delays while instruments are sterilized
- Use of disposables, e.g., chair drapes, handle covers, suction tips, trays or tray covers, etc.
- Adequate sterilization capacity and standardized procedures
  - $\circ$  recessed ultrasonic
  - o autoclave, chemiclave, kavoclave, dishwasher
- Use of quick release handpieces
- Use of two 2-way air/water syringes
- Automatic faucets at all sinks
- Use of one-handed sheath prop (Practishield)
- Sturdy, preferably-mounted containers for masks, gloves, chair covers, etc.
- Use of disposable prophy angles and a variety of other disposables
- Built-in hookups at all chairs for nitrous oxide and oxygen
- Two-way radios for staff use between business and clinical areas
- Dentist's dictation of charting to be recorded by a clinical auxiliary on the spot or transposed later by a business auxiliary
- Designate a Clinical Coordinator, an experienced, skilled dental assistant to act as "traffic director", answer questions, be hands #5 and 6 if needed at chair, order supplies, interact with the lab, etc. One senior assistant can fill this role, or it can rotate between experienced assistants by the week or month.

This document written by Ann Page Griffin is the property of Practicon and can be reproduced for use in private practice. It cannot be reproduced for sale or profit. Copyright © Practicon Inc.